



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/798,094	03/11/2004	John B. Condon	BLD920030028US1	6033
50441 7590 02/22/2008 DUFT BORNSSEN & FISHMAN, LLP 1526 SPRUCE STREET SUITE 302 BOULDER, CO 80302			EXAMINER WILLS, LAWRENCE E	
			ART UNIT 2625	PAPER NUMBER
			MAIL DATE 02/22/2008	DELIVERY MODE PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/798,094	<b>Applicant(s)</b> CONDON ET AL.	
	<b>Examiner</b> Lawrence E. Wills	<b>Art Unit</b> 2625	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on March 11 2004.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-15 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-15 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>3/11/04</u> .   | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### *Claim Rejections - 35 USC § 102*

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1, 2, 5, 6, 7, 8, 11, 12, 13, and 16 are rejected under 35 U.S.C. 102(b) as being anticipated by Scott et al. (US Patent No 5,097,518).

Regarding claim 1, Scott'518 teaches a method for providing a halftoned image comprising the step of: scaling the halftoned image by performing pel repetition utilizing an error diffusion algorithm such that artifacts are minimized (Fig. 4B "Error diffusion pixel replication enlargement scaling, in addition column 19, lines 46-52).

Regarding claim 2, Scott'518 teaches wherein n.times.m pel blocks of an image are scaled to n+1.times.m pel blocks (the groupsizes for enlargement relate to the pixel blocks in the destination image, column 19, lines 59-65, for instance, the X groupsize generator would insert a single block into a group of pixels and it would be determined then the destination image is complete, Step 610, Fig. 6) by inserting single pels in each block at locations distributed through the block (filling a block by replicating a single pixel value, column 47, lines 65-66) according to the error-diffusion algorithm (error diffusion pixel replication enlargement scaling, column 48, lines 55-61), with

values chosen such that the average intensity of the block is substantially unchanged (each contone pixel value can be appropriately thresholded to yield a corresponding bi-tonal pixel value which is subsequently processed by this inventive method.

Alternatively, the contone values that occur within a block of pixels in a source image can be combined, such as by taking the maximum or average value of all these contone values to yield a corresponding single contone value for use in the reduced image, column 48, lines 47-55, similar methods would be used for enlargement as well).

Regarding claim 5, Scott'518 teaches wherein a threshold matrix (each contone pixel value can be appropriately thresholded, column 48, lines 47-55) is utilized to maintain the average intensity of a block (average value of all these contone values to yield a corresponding single contone value for use in the reduced image, column 48, lines 47-55).

Regarding claim 6, Scott'518 teaches a printing system for providing a halftoned image comprising: a storage device (film library, column 9, line 2) for providing a continuous tone (contone) image (microfilm, column 9, line 5); a spooler (scanner node, number 14, Fig. 1, in addition, column 9, lines 1-10) for receiving the contone image (scanner node controls the film library to fetch and load a specified roll of microfilm, column 9, lines 4-5) and converting the image to a halftoned image (electronically scans and digitizes a gray scale microfilm image into a bit mapped bi-

tonal image, column 9, lines 7-10); a scaler (number 335, Fig. 3, in addition column 12, lines 16-17) for scaling the halftoned image by performing pel repetition utilizing a error diffusion algorithm such that artifacts are minimized (Fig. 4B "Error diffusion pixel replication enlargement scaling, in addition column 19, lines 46-52); and a printer for receiving the halftoned image and printing the image (output pixel data from framestore to the particular output device, column 12, lines 23-24, the framestore contains the scaler and output device is laser printer, see Fig. 2, Printer Sub-System, numbers 240, 245, and 250).

Regarding claim 7, Scott'518 teaches 7 wherein the scaler is within the printer (see Fig. 2, Printer Sub-System, numbers 240, 245, and 250).

Regarding claim 8, Scott'518 teaches wherein  $n \times m$  pel blocks of an image are scaled to  $(n+1) \times m$  pel blocks by inserting single pels in each block at locations distributed through the block according to the error-diffusion algorithm, with values chosen such that the average intensity of the block is substantially unchanged (as discussed in claim 2 above, column 48, lines 47-55).

Regarding claim 11, Scott'518 teaches wherein a threshold matrix is utilized to maintain the average intensity of a block (as discussed in claim 2 and 5 above, column 48, lines 47-55).

Regarding claim 12, Scott'518 computer readable medium containing program instructions (control program, column 10, line 28) for providing a halftoned image, the program instructions for: scaling the halftoned image by performing pel repetition utilizing an error diffusion algorithm such that artifacts are minimized (Fig. 4B "Error diffusion pixel replication enlargement scaling, in addition column 19, lines 46-52).

Regarding claim 13, Scott'518 teaches wherein  $n \times m$  pel blocks of an image are scaled to  $(n+1) \times m$  pel blocks by inserting single pels in each block at locations distributed through the block according to the error-diffusion algorithm, with values chosen such that the average intensity of the block is substantially unchanged (as discussed in claim 2 above, column 48, lines 47-55).

Regarding claim 16, Scott'518 teaches wherein a threshold matrix is utilized to maintain the average intensity of a block (as discussed in claim 2 and 5 above, column 48, lines 47-55).

### ***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and

the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 3, 4, 9, 10, 14, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Scott et al. (US Patent No. 5,097, 518) as applied to claims 1, 6, and 12 above, and further in view of Li et al. (US Patent No. 6,563,957).

Regarding claim 3, Scott'518 fails to teach wherein no pel from a  $n \times m$  pel block is shifted more than one position from its neighboring pels in the scaled  $(n+1) \times m$  block.

Li'957 teaches wherein no pel from a  $n \times m$  pel block is shifted more than one position from its neighboring pels in the scaled  $(n+1) \times m$  block (For each pixel of the halftone image, the impact of toggling the pixel or swapping its value with one of its eight nearest neighbors is evaluated. If any change reduces the error, the change which gives the greatest decrease in the error is accepted, column 10, lines 13-20).

Having a system of Scott'518 reference and then given the well-established teaching of Li'957 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the error diffusion method to scale halftone images taught by the Scott'518 reference to include the error metric as taught by Li'957 reference, since the error metric preserves the local tone of the image (column 2, line 42), thus increasing the quality of the output image.

Regarding claim 4, Scott'518 fails to teach wherein the  $n \times m$  pel block is shifted by a shifting matrix.

Li'957 teaches wherein the  $n \times m$  pel block is shifted by a shifting matrix (error metric, column 10, line 4).

Having a system of Scott'518 reference and then given the well-established teaching of Li'957 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the error diffusion method to scale halftone images taught by the Scott'518 reference to include the error metric as taught by Li'957 reference, since the error metric preserves the local tone of the image (column 2, line 42), thus increasing the quality of the output image.

Regarding claim 9, Scott'518 fails to teach wherein no pel from a  $n \times m$  pel block is shifted more than one position from its neighboring pels in the scaled  $(n+1) \times m$  block.

Li'957 teaches wherein no pel from a  $n \times m$  pel block is shifted more than one position from its neighboring pels in the scaled  $(n+1) \times m$  block (For each pixel of the halftone image, the impact of toggling the pixel or swapping its value with one of its eight nearest neighbors is evaluated. If any change reduces the error, the change which gives the greatest decrease in the error is accepted, column 10, lines 13-20).

Having a system of Scott'518 reference and then given the well-established teaching of Li'957 reference, it would have been obvious to one having ordinary skill in



the art at the time the invention was made to modify the error diffusion method to scale halftone images taught by the Scott'518 reference to include the error metric as taught by Li'957 reference, since the error metric preserves the local tone of the image (column 2, line 42), thus increasing the quality of the output image.

Regarding claim 10, Scott'518 fails to teach wherein the  $n \times m$  pel block is shifted by a shifting matrix.

Li'957 teaches wherein the  $n \times m$  pel block is shifted by a shifting matrix (error metric, column 10, line 4).

Having a system of Scott'518 reference and then given the well-established teaching of Li'957 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the error diffusion method to scale halftone images taught by the Scott'518 reference to include the error metric as taught by Li'957 reference, since the error metric preserves the local tone of the image (column 2, line 42), thus increasing the quality of the output image.

Regarding claim 14, Scott'518 fails to teach wherein no pel from a  $n \times m$  pel block is shifted more than one position from its neighboring pels in the scaled  $(n+1 \times m)$  block.

Li'957 teaches wherein no pel from a  $n \times m$  pel block is shifted more than one position from its neighboring pels in the scaled  $(n+1 \times m)$  block (For each pixel

of the halftone image, the impact of toggling the pixel or swapping its value with one of its eight nearest neighbors is evaluated. If any change reduces the error, the change which gives the greatest decrease in the error is accepted, column 10, lines 13-20).

Having a system of Scott'518 reference and then given the well-established teaching of Li'957 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the error diffusion method to scale halftone images taught by the Scott'518 reference to include the error metric as taught by Li'957 reference, since the error metric preserves the local tone of the image (column 2, line 42), thus increasing the quality of the output image.

Regarding claim 15, Scott'518 fails to teach wherein the n.times.m pel block is shifted by a shifting matrix.

Li'957 teaches wherein the n.times.m pel block is shifted by a shifting matrix (error metric, column 10, line 4).

Having a system of Scott'518 reference and then given the well-established teaching of Li'957 reference, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the error diffusion method to scale halftone images taught by the Scott'518 reference to include the error metric as taught by Li'957 reference, since the error metric preserves the local tone of the image (column 2, line 42), thus increasing the quality of the output image.


**Conclusion**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lawrence E. Wills whose telephone number is 571-270-3145. The examiner can normally be reached on Monday-Friday 9:30 AM - 6:00 PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward Coles can be reached on 571-272-7402. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

LEW  
February 14, 2008

  
GABRIEL GARCIA  
PRIMARY EXAMINER